

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6642711").PN.	USPAT; USOCR	OR	OFF	2007/03/11 14:11
S2	8	saucepan near2 detection	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/03/11 14:13
S3	156	pot near2 detection	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/03/11 14:13
S4	0	(pot near2 detection) with MOSFET	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/03/11 14:13
S6	0	(pot near2 detection) same MOSFET	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/03/11 14:13
S7	0	(pot near2 detection) same nmos	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2007/03/11 14:13
S8	143	"219"/\$.ccls. and (coil) and switch\$5 and (mosfet nmos pmos)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:34
S9	43	"219"/\$.ccls. and (coil) and switch\$5 and (mosfet nmos pmos) with (drain source)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:37
S10	94	"219"/\$.ccls. and (coil) and switch\$5 with (mosfet nmos pmos)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:37
S11	2	"219"/\$.ccls. and (coil) and switch\$5 with (mosfet nmos pmos) and stove	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:41
S13	48	S12 and "324"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:45
S14	5	S12 and (stove\$4 saucepan)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:45
S15	0	("2004/0182852").URPN.	USPAT	OR	OFF	2007/03/11 14:46
S12	2377	(coil induct\$6) with switch\$5 with (mosfet nmos pmos)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:51
S16	1414	(induct\$5 with resona\$5 with circuit) and "324"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:52
S17	434	(induct\$5 near5 resona\$5 adj2 circuit) and "324"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:53

## EAST Search History

S18	1	(induct\$5 near\$5 resona\$5 adj2 circuit with (mosfet nmos pmos)) and "324"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:56
S19	14	"2279756"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:56
S20	0	gb2279756	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 14:56
S21	2	(coil induct\$6) with (stove (sauce adj pan) saucepan) same ((resonant\$ resona\$5) near3 capacitor) same oscillat\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 15:01
S22	7	("4713528").URPN.	USPAT	OR	OFF	2007/03/11 15:08
S23	2	("4300037"   "4367399").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/11 15:31
S24	19	replac\$5 with BJT with MOSFET	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/11 15:46
S27	0	BJT with MOSFET with switch\$4 with stove\$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 15:49
S28	0	BJT with MOSFET with switch\$4 with saucepan	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 15:49
S26	541	BJT with MOSFET with switch\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 15:51
S29	0	BJT with MOSFET with switch\$4 with interchan\$6	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 15:52
S31	0	BJT with MOSFET with switch\$4 with inter adj chang\$6	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 15:52
S32	0	BJT with MOSFET with switch\$4 with interchang\$6	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 15:52
S36	96	(bjt with (mosfet mos)) with replac\$6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 15:53
S37	16	(bjt with (mosfet mos)) with replac\$6 with switch\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/03/11 15:53
S25	9	replac\$5 with BJT with MOSFET with switch\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 16:21

## EAST Search History

S38	1	("6512370").PN.	USPAT; USOCR	OR	OFF	2007/03/11 16:21
S30	0	BJT with MOSFET with switch\$4 with inter adj chan\$6	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 16:31
S39	1130	(second near2 resona\$5 near2 capacit\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 16:32
S40	0	(second near2 resona\$5 near2 capacit\$4) with accuracy	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 16:32
S41	2	(second near2 resona\$5 near2 capacit\$4) with interference	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 16:49
S42	0	(second near2 resona\$5 near2 capacit\$4) with (measur\$4 adj2 frequency)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 16:49
S44	3	(second near2 resona\$5 near2 capacit\$4) same (measur\$4 adj2 frequency)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 16:55
S45	3436	(reson\$4 near2 circuit) with (parallel near2 capacit\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 16:56
S46	6	(reson\$4 near2 circuit) with (parallel near2 capacit\$4) with (measur\$4 near2 frequency)	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 17:26
S47	291	(reson\$4 near2 circuit) with (parallel near2 capacit\$4) with switch	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/11 17:27
S48	15	S47 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/12 11:41
S49	1	("6350971").PN.	USPAT; USOCR	OR	OFF	2007/03/12 11:41